

Weight capacity: 400LBS

ASSEMBLY INSTRUCTION ——— Y14304 CHAIR

Before You Begin

Please identify all component parts and hardware pieces required before you begin. Carefully remove all of the components from the packing and set aside for assembly. Assemble on a soft surface to prevent scratching during assembly.


Caution:

Tighten all components securely before use. Failure to do so may result in personal injury.
DO NOT use any sharp objects to open plastic wrapped components as damage to product or components may result.

Warning:


CHOKING HAZARD - Small Parts. Adult Assembly Required.

DO NOT ALLOW CHILDREN TO CLIMB ON FURNITURE.




COMPONENT LIST

Part 1 Arm pad x 2




Part 2 Steal Fram x 2



Part 3 Seat cushion x 1




Part 4 Back cushion x 1



Hardware list



Part A  Bolt M6 x45 mm QTY 4

Part B  Bolt M6 x45 mm QTY 4

Part C  Bolt M6 x 55 mm QTY 4



Part D  Allen Wrench QTY 1

STEP 1 :




Hardware & Tools required

STEP 2 :




Hardware & Tools required


STEP 3 :



STEP 4 :



Hardware & Tools required



Your Chair is now complete and ready for use.

IMPORTANT NOTE: Periodically check and re-tighten screws.

Care Instruction

#Vacuum regularly

#To maintain the appearance of non-upholstered parts, wipe the surface with a clean cloth dampened with a mild soap solution .

#Spot clean with upholstery shampoo or dry powdered cleaner only. Test on a concealed area before proceeding. Apply proprietary cleaning products strictly according to instructions.

#Do not saturate fabric or interior with water or other cleaning products.

#Treat spills immediately with an absorbent cloth by blotting the spill.

#Keep away and protect from direct sunlight and heat.

#Avoid contact with skin, in particular during high temperatures and humidity.

#Pilling may occur as a result of daily wear. This is not a manufacturing fault and can be removed by using a Fabric Pill Remover. De-pilling removes unsightly loose surface fibres and does not affect fabric performance.

#Clean, check and tighten parts regularly.

#Do not place excessively heavy items on the chair to prevent deformation.