



Weight capacity: 300LBS

ASSEMBLY INSTRUCTION —— Y14305 CHAIR

Before You Begin

Please identify all component parts and hardware pieces required before you begin. Carefully remove all of the components from the packing and set aside for assembly. Assemble on a soft surface to prevent scratching during assembly.


Caution:

Tighten all components securely before use. Failure to do so may result in personal injury.
DO NOT use any sharp objects to open plastic wrapped components as damage to product or components may result.

Warning:


CHOKING HAZARD - Small Parts. Adult Assembly Required.

DO NOT ALLOW CHILDREN TO CLIMB ON FURNITURE.



COMPONENT LIST


Part 1 Gaslift Cover x 1



Part 2 Gaslift x 1



Part 3 Base




Part 4 Castors x 5




Part 5 Seat x 1




Part 6 Mechanism




Part 7 Back x 1



Part 8 Ramrest x 1



Part 9 Headrest x 1



HARDWARE LIST

Part A Bolt M6 x 20 mm QTY 4

Part D Bolt M6 x 20 mm QTY 2


Part B Bolt M6 x 30 mm QTY 6

Part E Allen Wrench QTY 1


Part C Bolt M8 x40 mm QTY 3

Part F Headrest Cover QTY 1

STEP 1 :





STEP 2 :





Hardware & Tools required

STEP 3 :



Hardware & Tools required

STEP 4 :





Hardware & Tools required


STEP 5 :



STEP 6 :



Hardware & Tools required



Your Chair is now complete and ready for use.

IMPORTANT NOTE: Periodically check and re-tighten screws.

Care Instruction

#Vacuum regularly

#To maintain the appearance of non-upholstered parts, wipe the surface with a clean cloth dampened with a mild soap solution .

#Spot clean with upholstery shampoo or dry powdered cleaner only. Test on a concealed area before proceeding. Apply proprietary cleaning products strictly according to instructions.

#Do not saturate fabric or interior with water or other cleaning products.

#Treat spills immediately with an absorbent cloth by blotting the spill.

#Keep away and protect from direct sunlight and heat.

#Avoid contact with skin, in particular during high temperatures and humidity.


#Piling may occur as a result of daily wear. This is not a manufacturing fault and can be removed by using a Fabric Pill Remover. De-pilling removes unsightly loose surface fibres and does not affect fabric performance.

#Clean, check and tighten parts regularly.


#Do not place excessively heavy items on the chair to prevent deformation.

Y14305 CHAIR

Functionality




* Adjustable headrest



* Up/down

* Back/forth

* Inward/outward




* Chair Height Adjustment

- To increase chair height pull lever upward while lifting body weight slightly off the seat.
- Release lever at desired height.
- To lower chair height sit fully into the chair and pull lever upward.
- Release lever at desired height.



* Seat Depth Adjustment

- To pull lever upward and move the seat to forwards and backwards.



* Chair Tilt

- Sitting in the chair flick the paddle downwards.
- Lean back or forwards until you are in a comfortable sitting positions(the chair has 3 lock positions).
- Lock the position by flicking the paddle upwards.
- To release the chair tilt,flick the paddle downwards,lean into the backrest until you hear a click. Chair should now tilt forwards.



* Adjustable Tilt Tension Control